

## Exhibit A



Centers for Disease Control and Prevention

CDC 24/7: Saving Lives. Protecting People. Saving Money through Prevention.


---

United States Cancer Statistics (USCS)

---



***The United States Cancer Statistics: 2007 Incidence and Mortality Web-based report contains official federal government cancer statistics for cancer incidence in 99% of the U.S. population and mortality statistics for 100% of the U.S. population.***



The *United States Cancer Statistics: 2007 Incidence and Mortality* report (USCS) marks the ninth time that CDC's National Program of Cancer Registries (NPCR) and the National Cancer Institute's (NCI) Surveillance, Epidemiology, and End Results (SEER) Program have combined their cancer registry data to produce a new set of official federal statistics on cancer incidence (newly diagnosed cases) for a single year. Statistics from CDC's National Vital Statistics System also are included on cancer deaths for a single year in each state. The report was produced in collaboration with the North American Association of Central Cancer Registries (NAACCR).

The current report provides state-specific and regional data for cancer cases diagnosed and for cancer deaths that occurred in 2007, the most recent year for which incidence data are available. It includes cancer incidence data obtained from registries in 49 states, 6 metropolitan areas, and the District of Columbia, covering 99% of the U.S. population. Mortality data from all states and the District of Columbia also were included and cover 100% of the U.S. population.

Cancer incidence and mortality statistics are reported for 68 selected primary cancer sites and subsites for men of all ages, and 72 selected primary cancer sites and subsites for women of all ages. These data are presented in the following categories:


- By geography: all U.S. combined, U.S. Census regions and divisions, states, and selected metropolitan areas.
- By race and ethnicity: all races combined, whites, blacks, Asians/Pacific Islanders, American Indians/Alaska Natives, and Hispanics/Latinos.

The section on childhood cancer includes incidence data for more than 13,000 cancer cases and 2,000 cancer deaths among children and adolescents aged 19 years or younger. These data are presented by race, sex, age, and primary site as well as by specific cancer types.

## Major Findings

**Note:** The numbers in parentheses are the age-adjusted (U.S. standard) rates per 100,000 people.

## Cancer Among Men



The three most common cancers among men include:

- Prostate cancer (156.9): First among men of all races and Hispanic origin populations.
- Lung cancer (80.5): Second among white, black, American Indian/Alaska Native, and Asian/Pacific Islander men; third among Hispanic men.
- Colorectal cancer (52.7): Second among Hispanic men; third among white, black, American Indian/Alaska Native, and Asian/Pacific Islander men.

The leading causes of cancer death among men are:

- Lung cancer (65.2): First among men of all racial and Hispanic origin populations.
- Prostate cancer (23.5): Second among white, black, American Indian/Alaska Native, and Hispanic men; fourth among Asian/Pacific Islander men.
- Liver cancer: Second among Asian/Pacific Islander men.
- Colorectal cancer (20.0): Third among men of all races and Hispanic origin populations.

## Cancer Among Women



The three most common cancers among women include:

- Breast cancer (120.4): First among women of all races and Hispanic origin populations.
- Lung cancer (54.5): Second among white, black, and American Indian/Alaska Native women, and third among Asian/Pacific Islander and Hispanic women.
- Colorectal cancer (39.7): Second among Asian/Pacific Islander and Hispanic women and third among white, black, and American Indian/Alaska Native women.

The leading causes of cancer death among women are:

- Lung cancer (40.0): First among white, black, Asian/Pacific Islander, and American Indian/Alaska Native women and second among Hispanic women.
- Breast cancer (22.8): First among Hispanic women and second among white, black, Asian/Pacific Islander, and American Indian/Alaska Native women.
- Colorectal cancer (14.1): Third among women of all races and Hispanic origin populations.

## More Information

- *United States Cancer Statistics: 2007 Incidence and Mortality Web-based report*  
(<http://apps.nccd.cdc.gov/uscs/>)
- National Program of Cancer Registries (</cancer/npcr/>)
- Surveillance, Epidemiology, and End Results (SEER) Program & (<http://seer.cancer.gov/>)
- National Vital Statistics System (</nchs/about/major/dvs/desc.htm>)
- Cancer Statistics by Demographic (<http://www.cdc.gov/cancer/dcpc/data/demographics.htm>)
- Cancer Registries (</Features/CancerRegistries/>)

---

Page last reviewed: January 3, 2011

Page last updated: January 3, 2011

Content source: National Center for Chronic Disease Prevention and Health Promotion, National Program of Cancer Registries

Page maintained by: Office of the Associate Director for Communication, Division of News and Electronic Media

URL for this page: <http://www.cdc.gov/Features/CancerStatistics/>

---

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333,  
USA

800-CDC-INFO (800-232-4636) TTY: (888) 232-6348, New Hours of Operation

8am-8pm ET/Monday-Friday

Closed Holidays - [cdcinfo@cdc.gov](mailto:cdcinfo@cdc.gov)

